SAFETY DATA SHEET

IP-4000

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

IP-4000

Product no.

40018020 40018082 40018097

Unique formula identifier (UFI)

CCR1-F8RR-6009-U790

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning product

Restricted to professional users.

Use descriptors (REACH)

Sectors of use	Description
LCS "IS"	Industrial uses: Uses of substances as such or in preparations at industrial sites
SU 4	Manufacture of food products
SU 1	Agriculture, forestry, fishery

Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Takk hreinlæti ehf

Dragháls 20

110 Reykjavík

Ísland

5776500

www.takk.is

Contact person

Sigurdur Sigurdsson

E-mail

sigurduri@takk.is

Revision

13/02/2025

SDS Version

1.0

1.4. Emergency telephone number

Emergency Line: Phone 112.

Poison Center Landspítali University hospital, Phone: 543 22 22.

See item 4: First aid measures.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Corr. 1A; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Acute 1; H400, Very toxic to aquatic life.

Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Very toxic to aquatic life with long lasting effects. (H410)

Precautionary statement(s)

General

-

Prevention

Do not breathe vapour/mist. (P260)

Avoid release to the environment. (P273)

Wear eye protection/protective gloves/protective clothing. (P280)

Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331)

Immediately call a POISON CENTER/doctor. (P310)

Collect spillage. (P391)

Storage

-

Disposal

Dispose of contents/container in accordance with local regulation (P501)

Hazardous substances

potassium hydroxide;caustic potash

disodium metasilicate

sodium hypochlorite, solution 15 % Cl active

Additional labelling

EUH031, Contact with acids liberates toxic gas.

UFI: CCR1-F8RR-6009-U790

Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Chlorine-based bleaching Agents

· Polycarboxylates

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
potassium hydroxide;caustic potash	CAS No.: 1310-58-3 EC No.: 215-181-3 REACH: Index No.: 019-002-00-8	10-15%	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	
disodium metasilicate	CAS No.: 6834-92-0 EC No.: 229-912-9	3-5%	Skin Corr. 1B, H314 STOT SE 3, H335	

	REACH: 01-2119449811-37-XXXX Index No.: 014-010-00-8		
sodium hypochlorite, solution 15 % Cl active	CAS No.: 7681-52-9 EC No.: 231-668-3 REACH: Index No.: 017-011-00-1	1-3%	EUH031 Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
[ethylenebis[nitrilobis(methylene)]]tetrakisphosphonic acid, sodium salt	CAS No.: 22036-77-7 EC No.: 244-742-5 REACH: 01-2119971577-22-XXXX Index No.:	<0.25%	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to

induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Halogenated compounds

Some metal oxides

Oxygen, hypochlorous acid, chlorine.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage conditions

Dry, cool and well ventilated

Store in original container

Incompatible materials

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

potassium hydroxide;caustic potash

Short term exposure limit (15 minutes) (mg/m^3): 2

sodium hydroxide

Short term exposure limit (15 minutes) (mg/m^3): 2

Regulation on pollution limits and actions to reduce pollution at workplaces (390/2009).

Ordinance amending the regulation on pollution limits and actions to reduce pollution at workplaces, no. 390/2009 (631/2021).

DNEL

disodium metasilicate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0.74
Long term – Systemic effects - Workers	Dermal	1.49 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.55 mg/m3
Long term – Systemic effects - Workers	Inhalation	6.22 mg/m3
Long term – Systemic effects - General population	Oral	0.74 mg/kg bw/day

potassium hydroxide;caustic potash

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m3
Long term – Local effects - Workers	Inhalation	1 mg/m3

sodium hydroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m3
Long term – Local effects - Workers	Inhalation	1 mg/m3

sodium hypochlorite, solution 15 % Cl active

Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Dermal	0,5%
Long term – Local effects - Workers	Inhalation	1.55 mg/m3
Long term – Systemic effects - Workers	Inhalation	1.55 mg/m3

Short term – Local effects - Workers	Inhalation	3.1 mg/m3
Short term – Systemic effects - Workers	Inhalation	3.1 mg/m3
Long term – Systemic effects - General population	Oral	0.26 mg/kg bw/day

PNEC

No data available.

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

Type	Class	Colour	Standards
Respiratory protection is not needed in the event of adequate ventilation	-	-	-

Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	
Wear rubber boots.			

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Use protective gloves				

Eye protection

Type	Standards	
Wear safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Yellowish

Odour / Odour threshold

Chlorine

pH

12,2

Density (g/cm^3)

1.175

Kinematic viscosity

No relevant or available data due to the nature of the product.

Particle characteristics

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C)

No relevant or available data due to the nature of the product.

Softening point/range (°C)

Does not apply to liquids.

Boiling point (°C)

No relevant or available data due to the nature of the product.

Vapour pressure

No relevant or available data due to the nature of the product.

Relative vapour density

No relevant or available data due to the nature of the product.

Decomposition temperature (°C)

No relevant or available data due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

No relevant or available data due to the nature of the product.

Flammability (°C)

No relevant or available data due to the nature of the product.

Auto-ignition temperature (°C)

No relevant or available data due to the nature of the product.

Lower and upper explosion limit (% v/v)

No relevant or available data due to the nature of the product.

Solubility

Solubility in water

Completely soluble

n-octanol/water coefficient (LogKow)

No relevant or available data due to the nature of the product.

Solubility in fat (g/L)

No relevant or available data due to the nature of the product.

9.2. Other information

Other physical and chemical parameters

No data available.

Oxidizing properties

No relevant or available data due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Contact with acids liberates toxic gas.

Reacts violently with alkali metals, metal powders, oxidizing materials and amines.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

10.4. Conditions to avoid

Protect from sunlight. Do no expose to temperatures exceeding 20 °C/68 °F.

10.5. Incompatible materials

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

10.6. Hazardous decomposition products

Oxygen, hypochlorous acid, chlorine.

Thermal decomposition may produce corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Product/substance	potassium hydroxide;caustic potash
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	333 mg/kg

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1152-1349 mg/kg bw

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>5000 mg/kg bw

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Inhalation

Test:	LC50 (dust)
Result:	>2060 mg/m³

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50 (vapour)
Result:	10.5 mg/L

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	20000 mg/kg

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1100 mg/kg

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Rabbit
Duration:	No data available.
Result:	Adverse effect observed (Causes serious eye damage)

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Rat
Duration:	90 d
Test:	OECD 408
Result:	50 mg/ bw/day (males), 57.2 mg/kg bw/day (females)

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. Toxicity

Product/substance	potassium hydroxide;caustic potash
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	80 mg/kg

Product/substance	disodium metasilicate
Species:	Fish
Duration:	96 hours

Test:	LC50
Result:	210 mg/L

Product/substance	disodium metasilicate
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	1700 mg/L

Product/substance	disodium metasilicate
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	207 mg/L

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	0,06 mg/L

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	0.032 mg/L

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	0.141 mg/L

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	0.035 mg/L

Product/substance	sodium hypochlorite, solution 15 % Cl active
Species:	Algae
Duration:	7 days
Test:	NOEC
Result:	0.0021 mg/L

Product/substance	sodium hypochlorite, solution 15 % Cl active

Species:	Algae
Duration:	7 days
Test:	EC50
Result:	0.0499 mg/L

Product/substance	sodium hydroxide
Species:	Crustacean
Duration:	48 hours
Test:	EC50
Result:	40.4 mg/L

Product/substance	sodium hydroxide
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	35-189 mg/L

Product/substance	[ethylenebis[nitrilobis(methylene)]]tetrakisphosphonic acid, sodium salt
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	510 mg/L

Product/substance	[ethylenebis[nitrilobis(methylene)]]tetrakisphosphonic acid, sodium salt
Species:	Algae
Duration:	96 hours
Test:	EC50
Result:	0.42 mg/L

Product/substance	[ethylenebis[nitrilobis(methylene)]]tetrakisphosphonic acid, sodium salt
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	164 mg/L

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

Product/substance	[ethylenebis[nitrilobis(methylene)]]tetrakisphosphonic acid, sodium salt
Conclusion:	Not biodegradable

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 8 – Corrosive

HP 12 – Release of an acute toxic gas

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

07 06	Wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1719	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide;caustic potash, sodium hypochlorite, solution 15 % Cl active)	Transport hazard class: 8 Label: 8 Classification code: C5  	II	Yes	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
						.
IMDG	UN1719	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide;caustic potash, sodium hypochlorite, solution 15 % Cl active)	Transport hazard class: 8 Label: 8 Classification code: C5 	II	Yes	Limited quantities: 1 L EmS: F-A S-B See below for additional information .
IATA	UN1719	CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide;caustic potash, sodium hypochlorite, solution 15 % Cl active)	Transport hazard class: 8 Label: 8 Classification code: C5 	II	Yes	See below for additional information .

* Packing group
** Environmental hazards

Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes

Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

· Chlorine-based bleaching Agents

· Polycarboxylates

Additional information

Not applicable.

Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Regulation on the prevention of major-accident hazards caused by dangerous substances 1050/2017.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH031, Contact with acids liberates toxic gas.

H290, May be corrosive to metals.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

LCS "IS" = Industrial uses: Uses of substances as such or in preparations at industrial sites

SU 4 = Manufacture of food products

SU 1 = Agriculture, forestry, fishery

PC 35 = Washing and Cleaning Products (including solvent based products)

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

Sigurður Sig

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: IS-en